



LATITUDE

5330/5430/5530

使用我們極具擴展性和
永續性的 Latitude，
隨時隨地展開工作。



LATITUDE

5330/5430/5530

使用我們極具擴展性¹ 和永續性的 Latitude，
隨時隨地展開工作。

具有豐富多樣的功能，搭配智慧效能、優異的螢幕體驗，以及內建的安全和隱私選項，適用於任何企業。

非常適合會計人員、客服中心代表、財務部門、IT 部門等，專為結果導向及提升效率而設計。他們需要至上的安全性和可擴展的高效能產品，來提高辦公生產力，同時兼具遠端工作的靈活性。



Dell 最小型的商用主流電腦²

體積小巧且用途廣泛，具備多種功能，超越您對我們極具可擴展性的 Latitude 的期望。

全新智慧隱私功能：Onlooker Detection (旁觀者偵測) – 此功能提醒您注意旁觀者，並保護畫面上的資料。您可以對畫面進行紋理化或啟用 **SafeScreen** (若可用)。

Look-away Detect (視線遠離偵測) – 此功能知道您的視線何時離開畫面，並在此時將螢幕調暗，以保護隱私和節省電池電力。

USB Type C 與 Thunderbolt 4

雙 USB Type C 和 Thunderbolt 4 連接埠為標準配置，另提供 HDMI 2.0、RJ45 (14 吋/15 吋) 等。

更涼爽、更安靜

此系列搭載全新更大的風扇，加上專利的雙反向出口風扇 (14 吋/15 吋)，可改善散熱效果。

Intel vPro® 搭配第 12 代 Intel®，最高支援 Core™ i7 P 系列 (28W)，可為您的更多工作提供動力。15 吋裝置最高支援 64GB 的 DDR 記憶體、2TB 的儲存空間，以及雙儲存和獨立顯示卡選項。

WiFi6 與 4G LTE 選項

不論在辦公桌前或外出行動，都能保持連線。

ExpressSign-in (極速登入)

在您靠近時喚醒您的系統，離開時將其鎖定。

Intelligent Audio (智慧調音) 搭配神經降噪功能

使用人工智慧背景噪音消除功能，為您的協作流程賦予信心。

適用於每位使用者的顯示器

選項包括 ComfortView Plus 低藍光；使用超低功率面板延長電池續航力；15 吋裝置支援 400 尼特 4K UHD；14 吋裝置支援觸控式防窺面板；13 吋裝置支援二合一功能與 Gorilla 強化玻璃等。

使用 **ExpressConnect (極速連線)** 全球首款同時多網路連線功能，一次使用 2 個以上網路，更快速下載資料和影片¹⁹。


ExpressCharge (極速充電) 提供出色的運作時間，以及更快的充電速度

最高 58 Whr 的多種電池選項及新一代 SLP 面板。

我們極具永續性的 Latitude 系列

Latitude 5000 是第一款使用樹質生物塑料的電腦：上蓋佔 21%，底部保護墊佔 39%；內部還有更永續的零件：28% 的海洋塑膠風扇外殼，以及電池框架中 50% 的回收塑料。³⁶

企業級效能，具備 Dell 極致安全性、可維護性和耐用性，通過 **MIL-STD 810H** 測試。13 吋裝置可用作筆記型電腦或二合一電腦，具有相同的 BIOS 和型號。



全新 100% 可回收或可再生包裝³⁷。
易於打開，運輸過程使用更少的碳。

請參閱最後一頁上的重要資訊

LATITUDE

5330/5430/5530

Dell Latitude 的永續性

在我們的產品、包裝和供應鏈中，引領業界落實永續發展。

我們極具永續性的 LATITUDE 產品組合：
朝向我們的目標努力，就可以實現您的目標。



創新包裝

100%

所有全新 Latitude 電腦均採用回收或可再生包裝。易於打開，運輸過程使用更少的碳。這是第一款滿足我們 2030 年社會影響力計畫的設計。³⁷

設計

第一款

Latitude 5000 是第一款使用再生碳纖維和樹質生物塑料²² 的電腦。

回收電子垃圾



無論什麼品牌，Dell 都可以安全、負責任地汰換您的 IT 設備，以支援循環經濟。若要深入瞭解，請造訪 Dell.com/Recycle。

LATITUDE 具有

90 種以上

EPEAT 註冊產品²¹



100%

2022 年產品中的
EPEAT Gold 金級認證



35 種以上

TCO 8 認證組態



8.0

ENERGY STAR® 涵蓋
全產品組合



請參閱最後一頁上的重要資訊

5330/5430/5530

Dell Optimizer

整合多重智慧，為個人量身打造。

Dell Optimizer 為 Dell 極具智慧功能的電腦提供動力，徹底革新您的工作方式²⁴。這是一款以 AI 為基礎的商用最佳化軟體，可學習並回應您的工作方式，自動改善應用程式效能、電池運作時間、音訊設定和隱私，全都能在您工作時於背景中完成。

運用具學習和適應能力的內建智慧，任何工作都能輕鬆完成。



隨時隨地的智慧隱私

旁觀者偵測功能可讓您在偵測到入侵者時對畫面進行紋理化，而「視線遠離偵測」可根據使用者行為將電腦螢幕調暗。



強化電源效率

ExpressCharge (極速充電) 會分析您的電源使用習慣，以提升電腦的電池利用率、延長運作時間，並更快為您的系統充電。



無與倫比的連線能力

ExpressConnect²⁸ 提供 Dell 第一個同時多網路連線²⁹，且會自動加入訊號最好的網路³⁰。



更快的登入

ExpressSign-in²⁵ 的近接感應器會在 Windows Hello 透過臉部辨識功能將您登入之前，偵測到您的存在並在接近時喚醒。



強化音訊

智慧音訊提供音訊和麥克風強化功能，並使用神經降噪技術降低背景噪音。



提升效能

ExpressResponse²⁶ 會分析您如何使用偏好的應用程式²⁷，以提升效能。



簡化可管理性

使用易於管理的應用程式提升工作體驗，為終端使用者和 IT 決策者提供流暢無縫的使用體驗。





推薦配件



27 USB-C HUB 顯示器 - P2723DE

這款時尚的 27 吋 QHD Hub 顯示器配備 ComfortView Plus，讓您無論在何處工作，都能保持高效。



Dell Thunderbolt 4 媒體插槽座 | WD22TB4

使用這款靈活且強大的模組化媒體插槽座，體驗閃電般快速的充電和 Thunderbolt 4 連接能力。



Dell Pro 無線鍵盤與滑鼠 - KM5221W

運用全尺寸靜音鍵盤和滑鼠組合，提供可設定的快速鍵和 36 個月的電池使用時間，大幅提升您的日常生產力。³⁸



Dell USB-C 行動轉接器 - DA310

輕巧的可攜式七合一 USB-C 行動轉接頭，可為您的電腦提供卓越的影片和資料傳輸能力，以及高達 90W 的充電功率。



Dell 專業無線耳機 - WL5022

使用這款經藍牙團隊認證的耳機隨時隨地展開工作，無縫切換到您的電腦或智慧型手機，並在外出行動時享受清晰無比的音訊。



Dell 喇叭擴音器 - SP3022

使用這款經 Microsoft 團隊認證的智慧喇叭擴音器，體驗飽和且清晰的音訊。



Dell 主動式觸控筆 - PN5122W

使用這款適用於我們的二合一電腦的多通訊協定、高靈敏度主動式觸控筆，自然而準確地書寫。



Dell EcoLoop 專業後背包 - CP5723

這款注重環保的後背包，可在您外出行動時保護您的裝置。



Dell 行動專業無線滑鼠 - MS5120W

輕鬆藉由 2.4GHz 無線或藍牙模式連接滑鼠，並運用可程式捷徑按鈕提升生產力。

5330/5430/5530

FEATURE	TECHNICAL SPECIFICATION	TECHNICAL SPECIFICATION	TECHNICAL SPECIFICATION
MODEL NUMBER¹	Latitude 5330 (laptop or 2-in-1)	Latitude 5430 (laptop)	Latitude 5530 (laptop)
PROCESSOR OPTIONS¹	12 th Gen Intel® Core™ processors up to i7 U15 vPro®	11 th Gen Intel® Core™ processors up to i5 U15 vPro® 12 th Gen Intel® Core™ processors up to i7 U15 vPro®	11 th Gen Intel® Core™ processors up to i5 U15 vPro® 12 th Gen Intel® Core™ processors up to i7 U15 vPro® 12 th Gen Intel® Core™ processors up to i7 P28 vPro®
OPERATING SYSTEM¹	Microsoft® Windows 10 Pro 64-bit (11 License) Microsoft® Windows 11 Home 64-bit Microsoft® Windows 11 Pro 64-bit Ubuntu® 20.04 LTS, 64-bit (Laptop only)	Microsoft® Windows 10 Pro 64-bit (11 License) Microsoft® Windows 11 Home 64-bit Microsoft® Windows 11 Pro 64-bit Ubuntu® 20.04 LTS, 64-bit NeoKylin	Microsoft® Windows 10 Pro 64-bit (11 License) Microsoft® Windows 11 Home 64-bit Microsoft® Windows 11 Pro 64-bit Ubuntu® 20.04 LTS, 64-bit NeoKylin
MEMORY OPTIONS^{1,2,3}	Up to 32GB DDR4 (on board) 3200MHz	Up to 64GB DDR4 (socketed) 3200MHz	Up to 64GB DDR4 (socketed) 3200MHz
CHIPSET¹	Integrated with the processor	Integrated with the processor	Integrated with the processor
INTEL RESPONSIVENESS TECHNOLOGIES^{1,7}	Intel® Rapid Storage Technology	Intel® Rapid Storage Technology	Intel® Rapid Storage Technology
GRAPHICS^{1,13}	Intel® Iris® Xe Graphics with Intel® Core™ i5/i7 processors Intel UHD Graphics with Intel® Core™ i3 processor	Intel® Iris® Xe Graphics with Intel® Core™ i5/i7 processors and dual-channel memory configuration Intel UHD Graphics with Intel® Core™ i3 processor or single channel memory	Optional NVIDIA® GeForce® MX450 (2 GB DDR6 dedicated) Intel® Iris® Xe Graphics with Intel® Core™ i5/i7 processors and dual-channel memory configuration Intel UHD Graphics with Intel® Core™ i3 processor or single channel memory
DISPLAY¹	2-in-1 13.3" FHD (1920 x 1080) Anti Glare, 16x9, 300 nits, Gorilla Glass 6 DXC, Active Pen Support, WVA, 72% NTSC Laptop 13.3" FHD (1920 x 1080) Anti Glare, 16x9, Non-touch, WVA, 250 nits, 45% NTSC 13.3" FHD (1920 x 1080) Anti Glare, 16x9, Touch, WVA, 300 nits, 72% NTSC 13.3" FHD (1920 x 1080) Anti Glare, 16x9, Non-touch, 400 nits, WVA, Super Low Power, ComfortView Plus Low Blue Light, sRGB 100%	Laptop 14" HD (1366 x 768) Anti Glare, 16x9, Non-touch, TN, 220 nits, 45% NTSC 14" FHD (1920 x 1080) Anti Glare, 16x9, Non-touch, WVA, 250 nits, 45% NTSC 14" FHD (1920 x 1080) Anti Glare, 16x9, Touch, WVA, 300 nits, 100%, NTSC 14" FHD (1920 x 1080) Anti Reflective/Anti Smudge, Non-touch, WVA, Super Low Power, ComfortView Plus Low Blue Light, 400 nits, sRGB 100% 14" FHD (1920 x 1080) Anti Glare, 16x9, Touch, Digital Privacy SafeScreen, WVA, 300 nits, sRGB 100%	Laptop 15.6" HD (1366x768) Anti Glare, 16x9, Non-touch, TN, 220 nits, 45% NTSC 15.6" FHD (1920x1080) Anti-Glare, 16x9, Non-touch, WVA, 250nits, 45% NTSC 15.6" FHD (1920x1080) Anti-Glare, 16x9, Touch, WVA, 250nits, 45% NTSC 15.6" FHD (1920x1080) Anti-Glare, 16x9, Non-touch, WVA, Super Low Power, ComfortView Plus Low Blue Light, 400nits, sRGB 100% 15.6" UHD (3840x2160) Anti-Glare, 16x9, Non-touch, WVA, Super Low Power, ComfortView Plus Low Blue Light, 400nits, sRGB 100%
STORAGE OPTIONS^{1,3}	up to 1 TB, M.2, PCIe, SSD, Class 35 256 GB, M.2, PCIe NVMe, SED, Class 35 2 TB, M.2, PCIe NVMe, SSD, Class 40 up to 1 TB, M.2, PCIe NVMe, SED, Class 40	up to 1 TB, M.2, PCIe, SSD, Class 35 256 GB, M.2, PCIe NVMe, SED, Class 35 2 TB, M.2, PCIe NVMe, SSD, Class 40 up to 1 TB, M.2, PCIe NVMe, SED, Class 40	up to 1 TB, M.2, PCIe, SSD, Class 35 256 GB, M.2, PCIe NVMe, SED, Class 35 2 TB, M.2, PCIe NVMe, SSD, Class 40 up to 1 TB, M.2, PCIe NVMe, SED, Class 40
SECURITY¹	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 4: Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 5: Touch Fingerprint Reader (in Power Button), Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification Optional Face IR camera (Windows Hello compliant) with ExpressSign-in (Camera Sensing) Optional Intelligent Privacy (onlooker detection with screen texturizing and adaptive dimming) Camera Shutter Dell Client Command Suite: On-Prem Dell Client Command Suite: Cloud Dell Optimizer Dell Power Manager Support Assist for PCs Support Assist OS Recovery (Excalibur) Dell SafeBIOS - Off Host Verification Dell SafeBIOS - Indicators of Attack	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 4: Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 5: Touch Fingerprint Reader (in Power Button), Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification Optional Face IR camera (Windows Hello compliant) with ExpressSign-in (Camera Sensing) Optional Intelligent Privacy (onlooker detection with screen texturizing and adaptive dimming) Camera Shutter Optional SafeScreen Dell Client Command Suite: On-Prem Dell Client Command Suite: Cloud Dell Optimizer Dell Power Manager Support Assist for PCs Support Assist OS Recovery (Excalibur) Dell SafeBIOS - Off Host Verification Dell SafeBIOS - Indicators of Attack	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 4: Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 5: Touch Fingerprint Reader (in Power Button), Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 6: FIPS Fingerprint Reader (on Palmrest) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification Optional Face IR camera (Windows Hello compliant) with ExpressSign-in (Camera Sensing) Optional Intelligent Privacy (onlooker detection with screen texturizing and adaptive dimming) Camera Shutter Dell Client Command Suite: On-Prem Dell Client Command Suite: Cloud Dell Optimizer Dell Power Manager Support Assist for PCs Support Assist OS Recovery (Excalibur) Dell SafeBIOS - Off Host Verification Dell SafeBIOS - Indicators of Attack

5330/5430/5530

FEATURE TECHNICAL SPECIFICATION

MODEL NUMBER¹	Latitude 5330 (laptop or 2-in-1)
SECURITY¹ (CONT)	Dell SafeID Vmware Carbon Black Endpoint Standard Vmware Carbon Black Endpoint Advanced Vmware Carbon Black Endpoint Enterprise Absolute Visibility Absolute Control Absolute Resilience Dell Encryption Personal Dell Encryption Enterprise Netskope Cloud Access Security Broker (CASB) Netskope Secure Web Gateway Netskope Private Access
DOCKING¹	<i>(Docks are optional, sold separately)</i> Dell Thunderbolt™ Dock - WD19TBS Dell Thunderbolt™ Dock - WD22TB4 Dell Performance Dock - WD19DCS Dell USB-C Dock - WD19S Dell Universal Dock D6000/ D6000S Dell Dual Charge Dock - HD22G (May 2022)
MULTIMEDIA¹	HD Camera, Temporal Noise Reduction, Camera Shutter FHD + IR Camera, Temporal Noise Reduction, Camera Shutter, ExpressSign-in™ FHD + IR Camera + Proximity Sensor, Temporal Noise Reduction, Camera Shutter, ExpressSign-in™, Intelligent Privacy, Ambient (laptop only) Light sensor 2 x High Quality Speakers 2 x Noise Canceling Microphones Waves MaxxAudio Pro Intelligent Audio with Neural Noise Cancellation Universal Audio jack No Camera / No Microphone Options Available
BATTERY OPTIONS^{1,6}	3 cell 41 Whr Polymer , ExpressCharge 1.0™, ExpressCharge Boost™ & Long Life Cycle capable 4 cell 58 Whr Polymer , ExpressCharge 1.0™, ExpressCharge Boost™ & Long Life Cycle capable
POWER OPTIONS¹	60W adapter, Type-C 65W adapter, Type-C 90W adapter, Type-C
CONNECTIVITY OPTIONS¹	Microsoft Modern Standby Compliant Wireless LAN Options^{8:} Intel® Wi-Fi 6E (6GHz) AX211 2x2 + Bluetooth 5.2 Realtek RTL 8822CE 2x2 Wi-Fi 5, Bluetooth 5.0 MediaTek MT7921 Wi-Fi 6, Bluetooth 5.0 Intel® Wi-Fi 6 AX201 2x2 802.11ax 160MHz, Bluetooth 5.1 No wireless card installed option available Mobile Broadband Options^{8,10:} Intel® XMM™ 7360 LTE Advanced Cat 9 WWAN (DW5820e) (eSIM capable) Intel® XMM™ 7360 LTE Advanced Cat 9 WWAN (DW5820e) China, Turkey Intel® XMM™ 7360 LTE Advanced Cat 9 WWAN (DW5820e) T-Mobile, AT&T, Verizon, US only
PORTS, SLOTS & CHASSIS¹	2x USB Type C Thunderbolt™ 4.0 with Power Delivery & DisplayPort 2x USB 3.2 Gen (1 with Power share) 1x HDMI 2.0 1x external uSIM card tray (optional) - eSim capable 1x uSD 4.0 Memory card reader 1x Contacted SmartCard Reader (optional) 1x Touch Fingerprint Reader in Power Button (optional) Universal Audio Jack Wedge Shaped Lock slot

TECHNICAL SPECIFICATION

MODEL NUMBER¹	Latitude 5430 (laptop)
SECURITY¹	Dell SafeID Vmware Carbon Black Endpoint Standard Vmware Carbon Black Endpoint Advanced Vmware Carbon Black Endpoint Enterprise Absolute Visibility Absolute Control Absolute Resilience Dell Encryption Personal Dell Encryption Enterprise Netskope Cloud Access Security Broker (CASB) Netskope Secure Web Gateway Netskope Private Access
DOCKING¹	<i>(Docks are optional, sold separately)</i> Dell Thunderbolt™ Dock - WD19TBS Dell Thunderbolt™ Dock - WD22TB4 Dell Performance Dock - WD19DCS Dell USB-C Dock - WD19S Dell Universal Dock D6000/ D6000S Dell Dual Charge Dock - HD22G (May 2022)
MULTIMEDIA¹	HD Camera, Temporal Noise Reduction, Camera Shutter FHD + IR Camera, Temporal Noise Reduction, Camera Shutter, ExpressSign-in™ FHD + IR Camera + Proximity Sensor, Temporal Noise Reduction, Camera Shutter, ExpressSign-in™, Intelligent Privacy, Ambient Light sensor 2 x High Quality Speakers 2 x Noise Canceling Microphones Waves MaxxAudio Pro Intelligent Audio with Neural Noise Cancellation Universal Audio jack No Camera / No Microphone Options Available
BATTERY OPTIONS^{1,6}	3 cell 41 Whr Polymer , ExpressCharge 1.0™, ExpressCharge Boost™ & Long Life Cycle capable 4 cell 58 Whr Polymer , ExpressCharge 1.0™, ExpressCharge Boost™ & Long Life Cycle capable
POWER OPTIONS¹	60W adapter, Type-C 65W adapter, Type-C 90W adapter, Type-C
CONNECTIVITY OPTIONS¹	Microsoft Modern Standby Compliant Wireless LAN Options^{8:} Intel® Wi-Fi 6E (6GHz) AX211 2x2 + Bluetooth 5.2 Realtek RTL 8822CE 2x2 Wi-Fi 5, Bluetooth 5.0 MediaTek MT7921 Wi-Fi 6, Bluetooth 5.0 Intel® Wi-Fi 6 AX201 2x2 802.11ax 160MHz, Bluetooth 5.1 No wireless card installed option available Mobile Broadband Options^{8,10:} Intel® XMM™ 7360 LTE Advanced Cat 9 WWAN (DW5820e) (eSIM capable) Intel® XMM™ 7360 LTE Advanced Cat 9 WWAN (DW5820e) China, Turkey Intel® XMM™ 7360 LTE Advanced Cat 9 WWAN (DW5820e) T-Mobile, AT&T, Verizon, US only
PORTS, SLOTS & CHASSIS¹	2x USB Type C Thunderbolt™ 4.0 with Power Delivery & DisplayPort 2x USB 3.2 Gen (1 with Power share) 1x HDMI 2.0 1x external uSIM card tray (optional) - eSim capable 1x uSD 4.0 Memory card reader 1x Contacted SmartCard Reader (optional) 1x Touch Fingerprint Reader in Power Button (optional) Universal Audio Jack Wedge Shaped Lock slot RJ45

TECHNICAL SPECIFICATION

MODEL NUMBER¹	Latitude 5530 (laptop)
SECURITY¹	Dell SafeID Vmware Carbon Black Endpoint Standard Vmware Carbon Black Endpoint Advanced Vmware Carbon Black Endpoint Enterprise Absolute Visibility Absolute Control Absolute Resilience Dell Encryption Personal Dell Encryption Enterprise Netskope Cloud Access Security Broker (CASB) Netskope Secure Web Gateway Netskope Private Access
DOCKING¹	<i>(Docks are optional, sold separately)</i> Dell Thunderbolt™ Dock - WD19TBS Dell Thunderbolt™ Dock - WD22TB4 Dell Performance Dock - WD19DCS Dell USB-C Dock - WD19S Dell Universal Dock D6000/ D6000S Dell Dual Charge Dock - HD22G (May 2022)
MULTIMEDIA¹	HD Camera, Temporal Noise Reduction, Camera Shutter FHD + IR Camera, Temporal Noise Reduction, Camera Shutter, ExpressSign-in™ FHD + IR Camera + Proximity Sensor, Temporal Noise Reduction, Camera Shutter, ExpressSign-in™, Intelligent Privacy, Ambient Light sensor 2 x High Quality Speakers 2 x Noise Canceling Microphones Waves MaxxAudio Pro Intelligent Audio with Neural Noise Cancellation Universal Audio jack No Camera / No Microphone Options Available
BATTERY OPTIONS^{1,6}	3 cell 41 Whr Polymer , ExpressCharge 1.0™, ExpressCharge Boost™ & Long Life Cycle capable 4 cell 58 Whr Polymer , ExpressCharge 1.0™, ExpressCharge Boost™ & Long Life Cycle capable
POWER OPTIONS¹	60W adapter, Type-C 65W adapter, Type-C 90W adapter, Type-C
CONNECTIVITY OPTIONS¹	Microsoft Modern Standby Compliant Wireless LAN Options^{8:} Intel® Wi-Fi 6E (6GHz) AX211 2x2 + Bluetooth 5.2 Realtek RTL 8822CE 2x2 Wi-Fi 5, Bluetooth 5.0 MediaTek MT7921 Wi-Fi 6, Bluetooth 5.0 Intel® Wi-Fi 6 AX201 2x2 802.11ax 160MHz, Bluetooth 5.1 No wireless card installed option available Mobile Broadband Options^{8,10:} Intel® XMM™ 7360 LTE Advanced Cat 9 WWAN (DW5820e) (eSIM capable) Intel® XMM™ 7360 LTE Advanced Cat 9 WWAN (DW5820e) China, Turkey Intel® XMM™ 7360 LTE Advanced Cat 9 WWAN (DW5820e) T-Mobile, AT&T, Verizon, US only
PORTS, SLOTS & CHASSIS¹	2x USB Type C Thunderbolt™ 4.0 with Power Delivery & DisplayPort 2x USB 3.2 Gen (1 with Power share) 1x HDMI 2.0 1x external uSIM card tray (optional) - eSim capable 1x uSD 4.0 Memory card reader 1x Contacted SmartCard Reader (optional) 1x Touch Fingerprint Reader in Power Button (optional) 1x Touch FIPS Fingerprint Reader in Palmrest (optional) Universal Audio Jack Wedge Shaped Lock slot RJ45

5330/5430/5530

FEATURE TECHNICAL SPECIFICATION

TECHNICAL SPECIFICATION

TECHNICAL SPECIFICATION

MODEL NUMBER¹	Latitude 5330 (laptop or 2-in-1)	Latitude 5430 (laptop)	Latitude 5530 (laptop)
DIMENSIONS & WEIGHT^{1,25}	Width: 12.04" / 305.7 mm Height: 0.67" / 16.92 mm Depth: 8.17" / 207.5 mm Screen to Body: 79.4% Laptop Starting Weight: 2.65 lbs / 1.2 kg 2-in-1 Starting Weight: 2.9 lbs / 1.32 kg	Width: 12.65" / 321.35 mm Height: 0.76" / 19.3 mm Depth: 8.35" / 212 mm Screen to Body: 82.1% Starting Weight: 3.01 lbs / 1.36 kg	Width: 14.09" / 357.8 mm Height: 0.82" / 20.77 mm Depth: 9.19" / 233.3 mm Screen to Body: 83.1% Starting weight: 3.5 lbs / 1.59 kg
REGULATORY AND ENVIRONMENTAL COMPLIANCE¹	Regulatory Model Number: Laptop P138G ; 2-in-1 P139G Regulatory Type Number: Laptop P138G002 ; 2-in-1 P139G002 ENERGY STAR compliant configurations available EPEAT Gold Registered. For specific country participation and rating, please see www.epeat.net TCO compliant configurations available Trade Agreements Acts (TAA) configurations available Halogen-Free / Arsenic-Free BFR / PVC free ⁹	Regulatory Model Number: P137G Regulatory Type Number: P137G005 / P137G006 ENERGY STAR compliant configurations available EPEAT Gold Registered. For specific country participation and rating, please see www.epeat.net TCO compliant configurations available Trade Agreements Acts (TAA) configurations available Halogen-Free / Arsenic-Free BFR / PVC free ⁹	Regulatory Model Number: P104F Regulatory Type Number: P104F005 / P104F006 ENERGY STAR compliant configurations available EPEAT Gold Registered. For specific country participation and rating, please see www.epeat.net TCO compliant configurations available Trade Agreements Acts (TAA) configurations available Halogen-Free / Arsenic-Free BFR / PVC free ⁹
INPUT¹	Optional 10-Finger Touch Display Microsoft® Precision Clickpad Spill Resistant Non-Backlit Keyboard Spill Resistant Backlit Keyboard Dell Premier Rechargeable Active Pen - PN7522W (optional, sold separately, 2-in-1 only) Dell Active Pen - PN5122W (optional, sold separately, 2-in-1 only)	Optional 10-Finger Touch Display Microsoft® Precision Clickpad Spill Resistant Non-Backlit Keyboard Spill Resistant Backlit Keyboard	Optional 10-Finger Touch Display Microsoft® Precision Clickpad Spill Resistant Non-Backlit Keyboard Spill Resistant Backlit Keyboard
SENSORS¹	All: Hall Effect Sensor, Sensor Hub, Gyroscope + Accelerometer on Laptops with Proximity Camera and on all 2-in-1s; Adaptive Thermal Performance (when Gyroscope/Accelerometer present). Added with Proximity Camera: Ambient Light Sensor, Windows Auto Brightness, IR User Proximity Detection. Added with 2-in-1: Digital Compass (Magnetometer), Screen Rotation support, Proximity for SAR compliance (with WWAN module) Near Field Proximity Sensor.	All: Hall Effect Sensor, Sensor Hub. Added with Proximity Camera: Gyroscope + Accelerometer, Ambient Light Sensor, Windows Auto Brightness, IR User Proximity Detection. Adaptive Thermal Performance (when Gyroscope/Accelerometer present).	All: Hall Effect Sensor, Sensor Hub. Added with Proximity Camera: Gyroscope + Accelerometer, Ambient Light Sensor, Windows Auto Brightness, IR User Proximity Detection. Adaptive Thermal Performance (when Gyroscope/Accelerometer present).
SYSTEMS MANAGEMENT¹	Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command Update, Dell Command Power Manager Dell Optimizer	Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command Update, Dell Command Power Manager Dell Optimizer	Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command Update, Dell Command Power Manager Dell Optimizer
WARRANTY AND SERVICE¹	Limited Hardware Warranty ⁴ , Standard 3 year Mail-in Service after Remote Diagnosis ¹¹ , optional 3, 4 and 5 year hardware warranty extensions, and 3-5 year Dell ProSupport contracts available ²	Limited Hardware Warranty ⁴ , Standard 3 year Mail-in Service after Remote Diagnosis ¹¹ , optional 3, 4 and 5 year hardware warranty extensions, and 3-5 year Dell ProSupport contracts available ²	Limited Hardware Warranty ⁴ , Standard 3 year Mail-in Service after Remote Diagnosis ¹¹ , optional 3, 4 and 5 year hardware warranty extensions, and 3-5 year Dell ProSupport contracts available ²
PERIPHERAL ECOSYSTEM¹	Wide range of accessories designed and tested for the Latitude 5320 enable productivity when working remote, on the go or in the office.	Wide range of accessories designed and tested for the Latitude 5320 enable productivity when working remote, on the go or in the office.	Wide range of accessories designed and tested for the Latitude 5320 enable productivity when working remote, on the go or in the office.
SUSTAINABILITY	Biobased material in rubber feet and lid Post-consumer recycled plastic in lid, battery frame, palmrest, fan housing, inner frame. Recycled Carbon Fiber in the lid and bottom cover Packaging made from 100% recycled or renewable materials (coming later CY22)	Biobased material in rubber feet and lid Post-consumer recycled plastic in lid, battery frame, palmrest, fan housing, inner frame. Recycled Carbon Fiber in the lid and bottom cover Packaging made from 100% recycled or renewable materials (coming later CY22)	Biobased material in rubber feet and lid Post-consumer recycled plastic in lid, battery frame, palmrest, fan housing, inner frame. Recycled Carbon Fiber in the lid and bottom cover Packaging made from 100% recycled or renewable materials (coming later CY22)

產品揭露：

- 1 供應情況可能因國家/地區、組態及作業系統而有所不同。
- 2 需要 64 位元作業系統才能支援 4GB 以上的系統記憶體。
- 3 GB 表示 10 億位元組，TB 則等於 1 兆位元組；實際容量因預載內容和作業環境而異，可能會有所降低。
- 4 有限硬體保固：欲索取有限硬體保固文件，請來函 Dell USA LP，收件人：Warranties, One Dell Way, Round Rock, TX 78682，或請參閱 www.dell.com/warranty。
- 6 所列的瓦時 (Whr) 並不代表電池續航力。
- 7 「Intel 快速儲存技術」須使用傳統硬碟、mSATA 或固態硬碟作為主要儲存裝置，且需要使用 Windows OS。
- 8 無線天線僅於購買系統時提供。
- 9 Dell Latitude 5330/5430/5530 不含溴化阻燃劑 (無 BFR)，且不含聚氯乙烷 (無 PVC)；符合《iNEMI Position Statement》(iNEMI 立場聲明) 中「低鹵素電子產品的定義 (無 BFR/CFR/PVC)」，不含 BFR/PVC。塑膠零件含溴濃度低於 1,000ppm (0.1%) (若溴的來源為 BFR)，含氯濃度低於 1,000ppm (0.1%) (若氯的來源為 CFR 或 PVC 或 PVC 共聚物)。所有的印刷電路板 (PCB) 和基板層含溴/氯濃度總量低於 1,500ppm (0.15%)，其中氯濃度最多不超過 900ppm (0.09%)，溴濃度最多不超過 900ppm (0.09%)。
- 10 4G LTE 天線和 5G 僅於購買系統時提供。行動寬頻：取決於網路供應商的寬頻租用與涵蓋區域；需額外付費。
- 11 遠端診斷後郵寄送修服務：「遠端診斷」意指由線上/電話技術人員判定問題原因；可能必須由客戶檢查系統內部，並且可能需進行多次或較長時間之診斷。如果問題屬於有限硬體保固 (www.dell.com/warranty) 的涵蓋範圍，而且無法從遠端解決，則會在完成遠端診斷後 1 個營業日內，派遣技術人員前往處理及/或寄送零件以供更換。實際供應狀況可能不同。其他條件亦適用。
- 12 Dell 服務：Dell 服務的供應情況和條款因地區而異。如需詳細資訊，請瀏覽 www.dell.com/servicesdescriptions。
- 13 GB 表示 10 億位元組，TB 則等於 1 兆位元組；顯示卡可能需要大量系統記憶體支援，需視系統記憶體大小和其他因素而定。
- 15 重量依組態及製造差異而有所不同；0.990 公斤配置能力：最高配備 i7 vPro (U15)、FHD NT Ultralight LCD、WLAN、41Whr 電池、M.2 2230 35 級 SSD、無安全性、無背光鍵盤。
- 16 根據 Dell 內部分析結果，2021 年 10 月。
- 17 同時多網路連線 (或連接式組合) 是 ExpressConnect 底下的一項新連線功能，使用兩個或多個有線或無線連線，同時收發資料和影片流量。根據 Dell 內部分析結果，2021 年 9 月。
- 18 根據 Dell 內部分析結果，2021 年 11 月。
- 19 同時多網路連線 (或連接式組合) 是 ExpressConnect 底下的一項新連線功能，使用兩個有線或無線連線，同時收發資料和影片流量。根據 Dell 內部分析結果，2021 年 9 月。同時資料傳輸功能適用於有線和無線網路。對於特定 Dell 平台，需要 USB Wi-Fi 轉接器來連接第二個 Wi-Fi 網路。
- 20 Latitude 5000 系列上蓋採用樹質生物塑料，Latitude 5000 和 7000 系列採用生物基橡膠。
- 21 已註冊 EPEAT (如適用)。EPEAT 註冊標準會因國家/地區而異。如需各國家/地區註冊狀態資訊，請參閱 www.epeat.net。
- 22 根據 Dell Technologies 和 Intel 委託進行的 Forrester 研究：「Dell 電腦即服務的整體經濟影響」，2020 年 11 月，<https://www.delltechnologies.com/asset/en-us solutions/business-solutions/industry-market/forrester-the-total-economic-impact-of-dells-pc-as-a-service.pdf>。
- 23 根據 Dell Technologies 和 Intel 委託進行的 Forrester 研究：「Dell 電腦即服務的整體經濟影響」，2020 年 11 月，<https://www.delltechnologies.com/asset/en-us solutions/business-solutions/industry-market/forrester-the-total-economic-impact-of-dells-pc-as-a-service.pdf>。
- 24 根據內部分析結果，2021 年 4 月。Dell Optimizer 適用於 2020 年款裝置，不適用於 OptiPlex 3000 系列、Latitude 3310 二合一和 Latitude Chromebook Enterprise。特色可用性與功能會因機型而異。
- 25 支援 Latitude 9000 和特定 7000 系列；Precision 行動工作站 7000 和特定 5000 系列。請參閱產品詳細資訊以瞭解可用性。
- 26 必須在應用程式功能中啟用 ExpressResponse。Dell Optimizer (DO) 會學習使用者在幾個小時內使用特定應用程式的頻率。根據 Dell 在執行生產力應用程式的 Latitude 系統上使用 Sysmark 2018 基準進行的測試；以及在執行 ISV 應用程式的 Precision 行動工作站上使用效能評估基準，2020 年 3 月。實際改善幅度根據產品配置、使用情況、應用等因素而異。
- 27 使用者必須先輸入偏好的應用程式，軟體才能對其進行分析。
- 28 ExpressConnect 適用於 Dell Optimizer 軟體 2.0 以上版本。如需下載最新版本，請前往 <https://www.dell.com/support/home>。
- 29 免責聲明：同時多網路連線 (或連接式組合) 是 ExpressConnect 底下的一項新連線功能，使用兩個有線或無線連線，同時收發資料和影片流量。根據 Dell 內部分析結果。
- 30 根據訊號強度、通道壅塞、路由器類型等進行最佳網路選擇；網路建議以使用者憑證為基準。
- 31 搭配 ExpressConnect 最佳化的網際網路頻寬。根據 Dell 實驗室在 2020 年 6 月執行的測試，比較了啟用和禁用 ExpressConnect 的效能。實際結果可能不同；測試結果不保證測試條件下的效能。受服務供應商的頻寬用戶與覆蓋區域影響；速度可能不同。需額外收費。請聯絡您的服務供應商瞭解詳細資料。
- 32 根據 Dell 內部分析結果，2019 年 1 月。
- 33 根據 2019 年 1 月由 Dell Technologies 委託 Principled Technologies 的報告，比較 Dell 的 Workspace ONE 隨需分配與傳統部署「使用 Dell 對 VMware Workspace ONE 隨需分配，交付預先設定系統給終端使用者的速度較快。」結果推斷出 1000 部系統的部署，一星期代表七個完整的工作日。實際結果可能不同。
- 34 依據 VMware 委託 Forrester Total Economic Impact™ 進行的研究「VMware Workspace ONE for Windows 10 的整體經濟影響」(2018 年 9 月)。結果取自 VMware Workspace ONE 客戶的訪談，以及/或是依據雇用 12,000 位員工的複合型組織。
- 35 根據 2018 年 4 月 Principled Technologies 的測試報告《以更少的時間和精力解決筆記型電腦硬體故障》。測試受 Dell 委託於美國執行，實際結果可能不同。完整報告：<http://facts.pt/L52XKM>
- 36 根據 Dell 內部分析結果，2021 年 11 月。
- 37 大約 78% 的回收成分和 22% 的可再生成分，係採用 FSC 紙纖維的形式。不包括新增到訂單和包含在包裝內的選擇性項目。
- 38 根據 2020 年 11 月有關電池使用時間模型計算的 Dell 分析結果而得。結果取決於使用情況、操作條件和其他因素。

* 根據 Dell 內部分析結果，2021 年 11 月。