

DELL Technologies

LATITUDE

7330/7430/7530

高級外觀，頂級選項。




LATITUDE

7330/7430/7530

高級外觀，頂級選項。

豐富多元的頂級功能提供令人驚嘆的螢幕體驗、智慧效能、內建安全性和隱私性。

非常適合團隊領導者、主管、專案/產品經理等，可協助其連結團隊並確保協作。他們需要無縫協作和連線的高效能，以實現辦公桌前或外出行動的多功能性。



ExpressSign-in (極速登入)

在您靠近時喚醒您的系統，離開時將其鎖定。

優質材料和表面

7000 系列提供超輕鎂 (13 吋) 和碳纖維或鋁選項。

頂級面板

400 尼特低藍光 FHD 顯示器，提供 4K (14 吋和 15 吋) 或 SafeScreen (14 吋)。

全新智慧隱私功能： Onlooker Detection

(旁觀者偵測) – 此功能提醒您注意旁觀者，並保護畫面上的資料。您可以對畫面進行紋理化或啟用 SafeScreen (若可用)。

Look-away Detect (視線遠離偵測) – 此功能知道您的視線何時離開畫面，並在此時將螢幕調暗，以保護隱私和節省電池電力。

升級的音訊

配備頂部發聲喇叭 (15.6 吋) 和經過升級的音訊 (13 吋/14 吋)，讓您聽見會議的每一個細節。

強化的 FHD 紅外線攝影機和隱私

使用頂級 FHD 高解析度攝影機和攝影機遮蔽蓋，讓您每次視訊通話都展現最佳狀態。

Intelligent Audio (智慧調音) 搭配神經降噪功能

使用人工智慧背景噪音消除功能，為您的協作流程賦予信心。

全新 13 吋超輕盈選擇

13 吋裝置起始重量為 0.967 公斤/2.13 磅

使用 **ExpressConnect (極速連線)** Dell 首款同時多網路連線功能，一次使用 2 個以上網路，更快速下載資料和影片¹⁷。

筆記型電腦或二合一電腦

二合一電腦採用相同系統 BIOS，簡化了對其的訂購和管理。

WiFi6 與 4G/5G 選項


現在有了 5G (14 吋)，可以在任何地方以極致的速度工作。

隨時隨地工作，減少充電需求

提供一整天的電池續航力和 ExpressCharge (極速充電)。

高效能和先進的散熱設計改善散熱功能，最高可減少 **30% 噪音³⁵**，採用 Intel vPro[®]，最高支援第 12 代 **Intel[®] Core[™] i7 P 系列 (28W) 處理器**，提供高達 32GB 的 LPDDR5 (14 吋和 15 吋)。

在 14 吋和 15 吋頂級商用筆記型電腦中，以極具創新方式利用生物基和回收材料：特定零件的底部保護墊中高達 39%，電池框架中高達 50% 的回收塑料，中掌托高達 35%，特定上蓋中高達 18% 的回收碳纖維¹⁸。



全新 100% 可回收或可再生包裝⁴¹
易於打開，運輸過程使用更少的碳。

請參閱最後一頁上的重要資訊

LATITUDE

7330/7430/7530

Dell Latitude 的永續性

在我們的產品、包裝和供應鏈中，引領業界落實永續發展。

我們極具永續性的 LATITUDE 產品組合：
朝向我們的目標努力，就可以實現您的目標。



創新包裝

100%

所有全新 Latitude 電腦均採用回收或可再生包裝。易於打開，運輸過程使用更少的碳。這是第一款滿足我們 2030 年社會影響力計畫的設計。⁴¹

設計

第一款

14 吋和 15 吋頂級商用電腦使用再生碳纖維 (18%) 和生物基橡膠 (39%) 底部保護墊。¹⁹

回收電子垃圾



無論什麼品牌，Dell 都可以安全、負責任地汰換您的 IT 設備，以支援循環經濟。若要深入瞭解，請造訪 Dell.com/Recycle。

LATITUDE 具有

90 種以上

EPEAT 註冊產品²⁰



100%

2022 年產品中的
EPEAT Gold 金級認證



35 種以上

TCO 8 認證組態



8.0

ENERGY STAR® 涵蓋
全產品組合



7330/7430/7530

Dell Optimizer

整合多重智慧，為個人量身打造。

Dell Optimizer 為Dell極具智慧功能的電腦提供動力，徹底革新您的工作方式²⁶。這是一款以 AI 為基礎的商用最佳化軟體，可學習並回應您的工作方式，自動改善應用程式效能、電池運作時間、音訊設定和隱私，全都能在您工作時於背景中完成。

運用具學習和適應能力的內建智慧，任何工作都能輕鬆完成。



隨時隨地的智慧隱私

旁觀者偵測功能可讓您在偵測到入侵者時對畫面進行紋理化，而「視線遠離偵測」可根據使用者行為將電腦螢幕調暗。



強化電源效率

ExpressCharge (極速充電) 會分析您的電源使用習慣，以提升電腦的電池利用率、延長運作時間，並更快為您的系統充電。



無與倫比的連線能力

ExpressConnect³⁰ 提供 Dell 第一個同時多網路連線³¹，且會自動加入訊號最好的網路³²。



更快的登入

ExpressSign-in²⁷ 透過攝影機的近接偵測功能會在 Windows Hello 透過臉部辨識功能將您登入之前，確認您的存在並在接近時喚醒。



強化音訊

智慧音訊提供音訊和麥克風強化功能，並使用神經降噪技術降低背景噪音。



提升效能

ExpressResponse²⁸ 會分析您如何使用偏好的應用程式²⁹，以提升效能。



簡化可管理性

使用易於管理的應用程式提升工作體驗，為終端使用者和 IT 決策者提供流暢無縫的使用體驗。





推薦配件



34 吋曲面視訊會議顯示器 - C3422WE

這款 34 吋弧形曲面 WQHD 顯示器配備整合式紅外線攝影機、雙 5W 喇叭和專用的一鍵式 Teams 按鈕，讓會議更令人深入其境。



Thunderbolt 4 媒體插槽座 | WD22TB4

使用這款靈活且強大的模組化媒體插槽座，體驗閃電般快速的充電和 Thunderbolt 4 連接能力。



Dell Premier 多裝置無線鍵盤與滑鼠 - KM7321W

這款頂級全尺寸鍵盤和雕刻滑鼠組具有可程式快捷鍵和 36 個月的電池續航力，可在 3 部裝置上無縫執行多項任務。⁴²



14 吋可攜式顯示器 - C1422H

這是 Dell 首款 14 吋可攜式顯示器，可讓您隨時隨地體驗雙螢幕的生產力。



配備多連接埠轉接器的 Dell 喇叭擴音器

配備整合式喇叭擴音器的多連接埠轉接器，提供多合一的連線能力與會議解決方案。



筆記型電腦行動電源增量版 - USB C、65 瓦時 - PW7018LC

此行動電源輸出功率最高可達 65 瓦時，能為各種 USB-C 筆記型電腦和行動裝置充電。



推薦配件



Dell EcoLoop 專業保護套 (大) - CV5623 (15 吋型號)

環保可靠的保護套，讓您的筆記型電腦在外出行動時受到安全保護。



Dell EcoLoop 專業保護套 (小) - CV5423 (13/14 吋型號)

環保可靠的保護套，讓您的筆記型電腦在外出行動時受到安全保護。



Dell Premier 單肩提包 15 吋 - PE1520C

環保單肩提包經過精心設計，讓您無需卸下筆記型電腦即可輕鬆通過 TSA 檢查站。



Dell 頂級可充電主動式觸控筆 - PN7522W

這款配備 Tile 位置追蹤器的主動式觸控筆，充一次電即可提供長效電力。



Dell 頂級薄型後背包 15 吋 - PE1520PS

選擇輕巧又環保的 15 吋 Dell 頂級薄型後背包 (PE1520PS)，配備 EVA 泡棉緩衝功能，保護您的筆記型電腦免受撞擊，不僅能輕裝上陣，還能友善環境。



Dell USB-C 行動轉接器 - DA310

輕巧的可攜式七合一 USB-C 行動轉接頭，可為您的電腦提供卓越的影片和資料傳輸能力，以及高達 90W 的充電功率。



Dell 頂級可充電式無線滑鼠 - MS7421W

體驗配備頂級可充電能力和生產力功能，且設計醒目的行動滑鼠。具備長效電池續航力，充滿電後長達 6 個月。³⁴

7330/7430/7530

FEATURE	TECHNICAL SPECIFICATION	TECHNICAL SPECIFICATION	TECHNICAL SPECIFICATION
MODEL NUMBER¹	Latitude 7330 (laptop or 2-in-1)	Latitude 7430 (laptop or 2-in-1)	Latitude 7530 (laptop)
PROCESSOR OPTIONS¹	12 th Gen Intel® Core™ processors up to i7 U15 vPro®	12 th Gen Intel® Core™ processors up to i7 U15 vPro® 12 th Gen Intel® Core™ processors up to i7 P28 vPro®	12 th Gen Intel® Core™ processors up to i7 U15 vPro® 12 th Gen Intel® Core™ processors up to i7 P28 vPro®
OPERATING SYSTEM¹	Microsoft® Windows 10 Pro 64-bit (11 License) Microsoft® Windows 11 Home 64-bit Microsoft® Windows 11 Pro 64-bit Ubuntu® 20.04 LTS, 64-bit (Laptop only)	Microsoft® Windows 10 Pro 64-bit (11 License) Microsoft® Windows 11 Home 64-bit Microsoft® Windows 11 Pro 64-bit Ubuntu® 20.04 LTS, 64-bit (Laptop only)	Microsoft® Windows 10 Pro 64-bit (11 License) Microsoft® Windows 11 Home 64-bit Microsoft® Windows 11 Pro 64-bit Ubuntu® 20.04 LTS, 64-bit (Laptop only)
MEMORY OPTIONS^{1,2,3}	Up to 32 GB, DDR4, 3200 MHz, integrated, dual channel	Up to 32 GB, LPDDR5, 4800 MHz, integrated, dual channel Up to 32 GB, DDR4, 3200 MHz, integrated, dual channel	Up to 32 GB, LPDDR5, 4800 MHz, integrated, dual channel Up to 32 GB, DDR4, 3200 MHz, integrated, dual channel
CHIPSET¹	Integrated with the processor	Integrated with the processor	Integrated with the processor
INTEL RESPONSIVENESS TECHNOLOGIES^{1,7}	Intel® Rapid Storage Technology	Intel® Rapid Storage Technology	Intel® Rapid Storage Technology
GRAPHICS^{1,13}	Intel® Iris® Xe Graphics with Intel® Core™ i5/i7 processors and dual-channel memory configuration	Intel® Iris® Xe Graphics with Intel® Core™ i5/i7 processors and dual-channel memory configuration	Intel® Iris® Xe Graphics with Intel® Core™ i5/i7 processors and dual-channel memory configuration
DISPLAY¹	2-in-1 16:9 13.3" FHD (1920x1080) WVA Touch, 300 nits, sRGB 100%, Anti-reflective and Anti-smudge, Corning® Gorilla Glass® 6 DXC, Super Low Power, Active Pen Support Laptop 16:9 13.3" FHD (1920 x 1080) WVA Non-touch, 250 nits, NTSC 45%, Anti-glare 16:9 13.3" FHD (1920 x 1080) WVA Non-Touch, 400 nits, sRGB 100%, Anti-glare, Super Low Power, ComfortView Plus Low Blue Light 16:9 13.3" FHD (1920 x 1080) WVA Non-Touch, 400 nits, sRGB 100%, Anti-glare, Super Low Power, ComfortView Plus Low Blue Light, Ultralight 16:9 13.3" FHD (1920 x 1080) WVA Touch, 300 nits, NTSC 72%, Anti-glare	2-in-1 16:9 14.0" FHD (1920x1080) WVA Touch, 300 nits, sRGB 100%, Anti-reflective and Anti-smudge, Corning® Gorilla Glass® 6 DXC, Super Low Power, Active Pen Support Laptop 16:9 14.0" FHD (1920 x 1080) WVA Non-touch, 250 nits, NTSC 45%, Anti-glare 16:9 14.0" FHD (1920 x 1080) WVA Non-Touch, 400 nits, sRGB 100%, Anti-glare, Super Low Power, ComfortView Plus Low Blue Light 16:9 14.0" FHD (1920 x 1080) WVA Touch, 300 nits, NTSC 72% Anti-glare 16:9 14.0" FHD (1920 x 1080) WVA Touch, 300 nits, sRGB 100%, Anti-glare, Digital Privacy SafeScreen 16:9 14.0" UHD (3840 x 2160) WVA Non-Touch, 400 nits, sRGB 100%, Anti-glare, Super Low Power, ComfortView Plus Low Blue Light	Laptop 16:9 15.6" FHD (1920 x 1080) WVA Non-touch, 250 nits, NTSC 45%, Anti-glare 16:9 15.6" FHD (1920 x 1080) WVA Non-Touch, 400 nits, sRGB 100%, Anti-glare, Super Low Power, ComfortView Plus Low Blue Light 16:9 15.6" FHD (1920 x 1080) WVA Touch, 300 nits, NTSC 72%, Anti-glare 16:9 15.6" UHD (3840 x 2160) WVA Non-Touch, 400 nits, sRGB 100%, Anti-glare, Super Low Power, ComfortView Plus Low Blue Light
STORAGE OPTIONS^{1,3}	up to 512 GB, M.2, PCIe NVMe, SSD, class 35 256 GB, M.2, PCIe NVMe, SED, class 35 up to 1 TB, M.2, PCIe NVMe, SSD, class 40 512 GB, M.2, PCIe NVMe, SED, class 40	up to 512 GB, M.2, PCIe NVMe, SSD, class 35 256 GB, M.2, PCIe NVMe, SED, class 35 up to 1 TB, M.2, PCIe NVMe, SSD, class 40 512 GB, M.2, PCIe NVMe, SED, class 40	up to 512 GB, M.2, PCIe NVMe, SSD, class 35 256 GB, M.2, PCIe NVMe, SED, class 35 up to 1 TB, M.2, PCIe NVMe, SSD, class 40 512 GB, M.2, PCIe NVMe, SED, class 40
SECURITY¹	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 4: Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 5: Touch Fingerprint Reader (in Power Button), Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification Optional Face IR camera (Windows Hello compliant) with ExpressSign-in (Camera Sensing) Intelligent Privacy (onlooker detection with screen texturizing and adaptive dimming) Camera Shutter Dell Client Command Suite: On-Prem Dell Client Command Suite: Cloud Dell Optimizer Dell Power Manager Support Assist for PCs Support Assist OS Recovery (Excalibur) Dell SafeBIOS - Off Host Verification Dell SafeBIOS - Indicators of Attack Dell SafeID VMware Carbon Black Endpoint Standard VMware Carbon Black Endpoint Advanced VMware Carbon Black Endpoint Enterprise	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 4: Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 5: Touch Fingerprint Reader (in Power Button), Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification Optional Face IR camera (Windows Hello compliant) with ExpressSign-in (Camera Sensing) Intelligent Privacy (onlooker detection with screen texturizing or SafeScreen activation and adaptive dimming) Camera Shutter Dell Client Command Suite: On-Prem Dell Client Command Suite: Cloud Dell Optimizer Dell Power Manager Support Assist for PCs Support Assist OS Recovery (Excalibur) Dell SafeBIOS - Off Host Verification Dell SafeBIOS - Indicators of Attack Dell SafeID VMware Carbon Black Endpoint Standard VMware Carbon Black Endpoint Advanced VMware Carbon Black Endpoint Enterprise	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 4: Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 5: Touch Fingerprint Reader (in Power Button), Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification Optional Face IR camera (Windows Hello compliant) with ExpressSign-in (Camera Sensing) Intelligent Privacy (onlooker detection with screen texturizing and adaptive dimming) Camera Shutter Dell Client Command Suite: On-Prem Dell Client Command Suite: Cloud Dell Optimizer Dell Power Manager Support Assist for PCs Support Assist OS Recovery (Excalibur) Dell SafeBIOS - Off Host Verification Dell SafeBIOS - Indicators of Attack Dell SafeID VMware Carbon Black Endpoint Standard VMware Carbon Black Endpoint Advanced VMware Carbon Black Endpoint Enterprise

7330/7430/7530

FEATURE TECHNICAL SPECIFICATION

SECURITY¹
(CONT)

Absolute Visibility
Absolute Control
Absolute Resilience Dell Encryption Personal
Dell Encryption Enterprise
Dell Encryption Enterprise
Netskope Cloud Access Security Broker (CASB)
Netskope Secure Web Gateway
Netskope Private Access

DOCKING¹

(Docks are optional, sold separately)
Dell Thunderbolt™ Dock - WD19TBS
Dell Thunderbolt™ Dock - WD22TB4
Dell Performance Dock - WD19DCS
Dell USB-C Dock - WD19S
Dell Universal Dock D6000/ D6000S
Dell Dual Charge Dock - HD22Q (May 2022)

MULTIMEDIA¹

HD Camera
Experience: Temporal Noise Reduction,
Camera Shutter
optional FHD IR Camera
Experience: ExpressSign-in™, Intelligent Privacy,
Ambient Light sensor, Temporal Noise Reduction,
Camera Shutter
2 x Speakers, Waves MaxxAudio Pro
2 x Noise Canceling Microphones
Intelligent Audio with Neural Noise Cancellation
Universal Audio jack

BATTERY OPTIONS^{1,6}

3 cell 41 Whr Polymer , ExpressCharge 1.0™,
ExpressCharge Boost™ & Long Life Cycle capable
4 cell 58 Whr Polymer , ExpressCharge 1.0™,
ExpressCharge Boost™ & Long Life Cycle capable

POWER OPTIONS¹

60W adapter, Type-C, Small Form Factor
65W adapter, Type-C
90W adapter, Type-C

CONNECTIVITY OPTIONS¹

Microsoft Modern Standby Compliant
Wireless LAN Options⁸:
Intel® Wi-Fi 6E (6GHz) AX211 2x2 + Bluetooth 5.2
Mobile Broadband Options^{8,10}:
Qualcomm® Snapdragon™ X20 LTE-A CAT 16
(DW5821e) (eSIM enabled), WW excluding China,
Turkey
Qualcomm® Snapdragon™ X20 LTE-A CAT 16
(DW5821e) WW
Qualcomm® Snapdragon™ X20 LTE-A CAT 16
(DW5821e) (eSIM enabled) for AT&T, Verizon &
T-Mobile. US only
Qualcomm® Snapdragon™ X20 LTE-A CAT 9
(DW5829e) (eSIM enabled), WW excluding China,
Turkey
Qualcomm® Snapdragon™ X20 LTE-A CAT 9
(DW5829e) WW
Qualcomm® Snapdragon™ X20 LTE-A CAT 9
(DW5829e) (eSIM enabled) for AT&T, Verizon &
T-Mobile. US only

PORTS, SLOTS & CHASSIS¹

2x USB Type-C Thunderbolt™ 4.0 with Power
Delivery & DisplayPort 1.4
1x USB 3.2 Gen 1 with Power share
1x HDMI 2.0
1x Optional external uSIM card tray (WWAN only)
1x Optional Contacted SmartCard Reader
1x Optional Touch Fingerprint Reader in Power
Button
1 x Universal Audio jack
Wedge Shaped Lock slot

DIMENSIONS & WEIGHT^{1,15}

Width: 12.07" / 306.5 mm
Height (Non-Touch FHD): 0.67" / 16.96 mm
Depth: 7.87" / 199.95 mm
Screen to Body: 85.9%
Laptop Starting Weight: 2.13 lbs / 0.967 kg
2-in-1 Starting Weight: 3.0 lbs / 1.36 kg

TECHNICAL SPECIFICATION

Absolute Visibility
Absolute Control
Absolute Resilience
Dell Encryption Personal
Dell Encryption Enterprise
Netskope Cloud Access Security Broker (CASB)
Netskope Secure Web Gateway
Netskope Private Access

(Docks are optional, sold separately)
Dell Thunderbolt™ Dock - WD19TBS
Dell Thunderbolt™ Dock - WD22TB4
Dell Performance Dock - WD19DCS
Dell USB-C Dock - WD19S
Dell Universal Dock D6000/ D6000S
Dell Dual Charge Dock - HD22Q (May 2022)

HD Camera
Experience: Temporal Noise Reduction, Camera
Shutter
optional FHD IR Camera
Experience: ExpressSign-in™, Intelligent Privacy,
Ambient Light sensor, Temporal Noise Reduction,
Camera Shutter
2 x Speakers, Waves MaxxAudio Pro
2 x Noise Canceling Microphones
Intelligent Audio with Neural Noise Cancellation
Universal Audio jack

3 cell 41 Whr Polymer , ExpressCharge 1.0™,
ExpressCharge Boost™ & Long Life Cycle capable
4 cell 58 Whr Polymer , ExpressCharge 1.0™,
ExpressCharge Boost™ & Long Life Cycle capable

60W adapter, Type-C
65W adapter, Type-C
90W adapter, Type-C

Microsoft Modern Standby Compliant
Wireless LAN Options⁸:
Intel® Wi-Fi 6E (6GHz) AX211 2x2 + Bluetooth 5.2
Mobile Broadband Options^{8,10}:
Qualcomm® Snapdragon™ X20 LTE-A CAT 16
(DW5821e) (eSIM enabled), WW excluding China,
Turkey
Qualcomm® Snapdragon™ X20 LTE-A CAT 16
(DW5821e) WW
Qualcomm® Snapdragon™ X20 LTE-A CAT 16
(DW5821e) (eSIM enabled) for AT&T, Verizon &
T-Mobile. US only
Qualcomm® Snapdragon™ X20 LTE-A CAT 9
(DW5829e) (eSIM enabled), WW excluding China,
Turkey
Qualcomm® Snapdragon™ X20 LTE-A CAT 9
(DW5829e) WW
Qualcomm® Snapdragon™ X20 LTE-A CAT 9
(DW5829e) (eSIM enabled) for AT&T, Verizon &
T-Mobile. US only
Qualcomm® Snapdragon™ X55 Global 5G Modem
(DW5930e) (eSIM enabled), WW excluding China,
Turkey
Qualcomm® Snapdragon™ X55 Global 5G Modem
(DW5930e) WW
Qualcomm® Snapdragon™ X55 Global 5G Modem
(DW5930e) (eSIM enabled) for AT&T, Verizon &
T-Mobile. US only

2x USB Type-C Thunderbolt™ 4.0 with Power
Delivery & DisplayPort 1.4
1x USB 3.2 Gen 1 with Power share
1x HDMI 2.0
1x Optional external uSIM card tray (WWAN only)
1x Optional Contacted SmartCard Reader
1x Optional Touch Fingerprint Reader in Power
Button
1 x Universal Audio jack
Wedge Shaped Lock slot

Width: 12.65" / 321.35 mm
Height (Non-Touch): 0.68" / 17.27 mm
Depth: 8.22" / 208.69 mm
Screen to Body: 86.7%
Laptop Starting Weight: 2.69 lbs / 1.22 kg
2-in-1 Starting Weight: 2.97 lbs / 1.35 kg

TECHNICAL SPECIFICATION

Absolute Visibility
Absolute Control
Absolute Resilience
Dell Encryption Personal
Dell Encryption Enterprise
Netskope Cloud Access Security Broker (CASB)
Netskope Secure Web Gateway
Netskope Private Access

(Docks are optional, sold separately)
Dell Thunderbolt™ Dock - WD19TBS
Dell Thunderbolt™ Dock - WD22TB4
Dell Performance Dock - WD19DCS
Dell USB-C Dock - WD19S
Dell Universal Dock D6000/ D6000S
Dell Dual Charge Dock - HD22Q (May 2022)

HD Camera
Experience: Temporal Noise Reduction,
Camera Shutter
optional FHD IR Camera
Experience: ExpressSign-in™, Intelligent Privacy,
Ambient Light sensor, Temporal Noise Reduction,
Camera Shutter
2 x Top Firing and 2 x Bottom Firing Speakers,
Waves MaxxAudio Pro
2 x Noise Canceling Microphones
Intelligent Audio with Neural Noise Cancellation
Universal Audio jack

3 cell 41 Whr Polymer , ExpressCharge 1.0™,
ExpressCharge Boost™ & Long Life Cycle capable
4 cell 58 Whr Polymer , ExpressCharge 1.0™,
ExpressCharge Boost™ & Long Life Cycle capable

60W adapter, Type-C
65W adapter, Type-C
90W adapter, Type-C

Microsoft Modern Standby Compliant
Wireless LAN Options⁸:
Intel® Wi-Fi 6E (6GHz) AX211 2x2 + Bluetooth 5.2
Mobile Broadband Options^{8,10}:
Qualcomm® Snapdragon™ X20 LTE-A CAT 16
(DW5821e) (eSIM enabled), WW excluding China,
Turkey
Qualcomm® Snapdragon™ X20 LTE-A CAT 16
(DW5821e) WW
Qualcomm® Snapdragon™ X20 LTE-A CAT 16
(DW5821e) (eSIM enabled) for AT&T, Verizon &
T-Mobile. US only
Qualcomm® Snapdragon™ X20 LTE-A CAT 9
(DW5829e) (eSIM enabled), WW excluding China,
Turkey
Qualcomm® Snapdragon™ X20 LTE-A CAT 9
(DW5829e) WW
Qualcomm® Snapdragon™ X20 LTE-A CAT 9
(DW5829e) (eSIM enabled) for AT&T, Verizon &
T-Mobile. US only

2x USB Type-C Thunderbolt™ 4.0 with Power
Delivery & DisplayPort 1.4
2x USB 3.2 Gen 1, one with PowerShare (U15
processors), or 1x USB 3.2 Gen 1 with Power share
(P28 processors)
1x HDMI 2.0
1x Optional external uSIM card tray (WWAN only)
1x Optional Contacted SmartCard Reader
1x Optional Touch Fingerprint Reader in Power
Button
1 x Universal Audio jack
Wedge Shaped Lock slot

Width: 14.08" / 357.7 mm
Height (Non-Touch FHD): 0.69" / 17.5 mm
Depth: 9.05" / 229.75 mm
Screen to Body: 86.6%
Starting weight: 3.39 lbs / 1.54 kg

7330/7430/7530

FEATURE TECHNICAL SPECIFICATION

REGULATORY AND ENVIRONMENTAL COMPLIANCE¹

Laptop: Regulatory Model: P133G; Regulatory Type: P133G002
 2-in-1: Regulatory Model: P134G; Regulatory Type: P134G002
 ENERGY STAR
 EPEAT Gold Registered. For specific country participation and rating, please see www.epeat.net
 TCO compliant configurations available
 Trade Agreements Acts (TAA) configurations available
 Halogen-Free/ Arsenic-Free
 BFR/PVC free⁹

INPUT¹

10-Finger Touch Display
 Microsoft® Precision Clickpad
 Spill Resistant Non-Backlit Keyboard,
 Spill Resistant Backlit Keyboard,
 Dell Premier Rechargeable Active Pen - PN7522W (optional, sold separately, 2-in-1 only)
 Dell Active Pen - PN5122W (optional, sold separately, 2-in-1 only)

SENSORS¹

Gyroscope, Digital Compass/Magnetometer, Accelerometer, GPS (via WWAN Card only), Ambient Light Sensor; GMR sensor (2-in-1 only), Adaptive Thermal Performance (via Gyroscope/Accelerometer), Dell ExpressSign-In (via Camera-based proximity), Wake/Power on with lid open (via Hall sensor)

SYSTEMS MANAGEMENT¹

Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command | Update, Dell Command | Power Manager | Dell Optimizer

WARRANTY AND SERVICE¹

Limited Hardware Warranty⁴, Standard 3 year Mail-in Service after Remote Diagnosis¹¹, optional 3, 4 and 5 year hardware warranty extensions, and 3-5 year Dell ProSupport contracts available¹²

PERIPHERAL ECOSYSTEM¹

Powerful accessories designed and tested for the Latitude 7320 enable seamless productivity to work from anywhere

SUSTAINABILITY

Biobased material in rubber feet
 Post-consumer recycled plastic in battery frame
 Post-consumer recycled plastic in palmrest
 Recycled Carbon Fiber in the lid
 Packaging made from 100% recycled or renewable materials (coming later CY22)

TECHNICAL SPECIFICATION

Laptop: Regulatory Model: P135G; Regulatory Type: P135G002
 2-in-1: Regulatory Model: P136G; Regulatory Type: P136G002
 ENERGY STAR
 EPEAT Gold Registered. For specific country participation and rating, please see www.epeat.net
 TCO compliant configurations available
 Trade Agreements Acts (TAA) configurations available
 Halogen-Free/ Arsenic-Free
 BFR/PVC free⁹ Halogen-Free/ Arsenic-Free
 BFR/PVC free⁹

10-Finger Touch Display
 Microsoft® Precision Clickpad
 Spill Resistant Non-Backlit Keyboard,
 Spill Resistant Backlit Keyboard,
 Dell Premier Rechargeable Active Pen - PN7522W (optional, sold separately, 2-in-1 only)
 Dell Active Pen - PN5122W (optional, sold separately, 2-in-1 only)

Gyroscope, Digital Compass/Magnetometer, Accelerometer, GPS (via WWAN Card only), Ambient Light Sensor; GMR sensor (2-in-1 only), Adaptive Thermal Performance (via Gyroscope/Accelerometer), Dell ExpressSign-In (via Camera-based proximity), Wake/Power on with lid open (via Hall sensor)

Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command | Update, Dell Command | Power Manager | Dell Optimizer

Limited Hardware Warranty⁴, Standard 3 year Mail-in Service after Remote Diagnosis¹¹, optional 3, 4 and 5 year hardware warranty extensions, and 3-5 year Dell ProSupport contracts available¹²

Powerful accessories designed and tested for the Latitude 7420 enable seamless productivity to work from anywhere

Biobased material in rubber feet
 Post-consumer recycled plastic in battery frame
 Post-consumer recycled plastic in palmrest
 Recycled Carbon Fiber in the lid
 Packaging made from 100% recycled or renewable materials (coming later CY22)

TECHNICAL SPECIFICATION

Laptop: Regulatory Model: P110F; Regulatory Type: P110F002
 ENERGY STAR compliant configurations available
 ENERGY STAR
 EPEAT Gold Registered. For specific country participation and rating, please see www.epeat.net
 TCO compliant configurations available
 Trade Agreements Acts (TAA) configurations available
 Halogen-Free/ Arsenic-Free
 BFR/PVC free⁹

10-Finger Touch Display
 Microsoft® Precision Clickpad
 Spill Resistant Non-Backlit Keyboard,
 Spill Resistant Backlit Keyboard,
 Dell Premier Rechargeable Active Pen - PN7522W (optional, sold separately, 2-in-1 only)
 Dell Active Pen - PN5122W (optional, sold separately, 2-in-1 only)

Gyroscope, Digital Compass/Magnetometer, Accelerometer, GPS (via WWAN Card only), Ambient Light Sensor; Adaptive Thermal Performance (via Gyroscope/Accelerometer), Dell ExpressSign-In (via Camera-based proximity), Wake/Power on with lid open (via Hall sensor)

Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command | Update, Dell Command | Power Manager | Dell Optimizer

Limited Hardware Warranty⁴, Standard 3 year Mail-in Service after Remote Diagnosis¹¹, optional 3, 4 and 5 year hardware warranty extensions, and 3-5 year Dell ProSupport contracts available¹²

Powerful accessories designed and tested for the Latitude 7520 enable seamless productivity to work from anywhere

Biobased material in rubber feet
 Post-consumer recycled plastic in battery frame
 Post-consumer recycled plastic in palmrest
 Recycled Carbon Fiber in the lid
 Packaging made from 100% recycled or renewable materials (coming later CY22)

產品揭露：

- 1 供應情況可能因國家/地區、組態及作業系統而有所不同。
- 2 需要 64 位元作業系統才能支援 4GB 以上的系統記憶體。
- 3 GB 表示 10 億位元組，TB 則等於 1 兆位元組；實際容量因預載內容和作業環境而異，可能會有降低。
- 4 有限硬體保固：欲索取有限硬體保固文件，請來函 Dell USA LP，收件人：Warranties, One Dell Way, Round Rock, TX 78682 或參閱 www.dell.com/warranty。
- 6 所列的瓦時 (Whr) 並不代表電池續航力。
- 7 「Intel 快速儲存技術」須使用傳統硬碟、mSATA 或固態硬碟作為主要儲存裝置，且需要使用 Windows OS。
- 8 無線天線僅於購買系統時提供。
- 9 Dell Latitude 7330/7430/7530 不含溴化阻燃劑 (無 BFR)，且不含聚氯乙烯 (無 PVC)；符合《iNEMI Position Statement》(iNEMI 立場聲明) 中「低鹵素電子產品的定義 (無 BFR/CFR/PVC)」，不含 BFR/PVC。塑膠零件含溴濃度低於 1,000ppm (0.1%) (若溴的來源為 BFR)，含氯濃度低於 1,000ppm (0.1%) (若氯的來源為 CFR 或 PVC 或 PVC 共聚物)。所有的印刷電路板 (PCB) 和基板層含溴/氯濃度總量低於 1,500ppm (0.15%)，其中氯濃度最多不超過 900ppm (0.09%)，溴濃度最多不超過 900ppm (0.09%)。
- 10 4G LTE 天線和 5G 僅於購買系統時提供。行動寬頻：取決於網路供應商的寬頻租用與涵蓋區域；需額外付費。
- 11 遠端診斷後郵寄送修服務：「遠端診斷」意指由線上/電話技術人員判定問題原因；可能必須由客戶檢查系統內部，並且可能需進行多次或較長時間之診斷。如果問題在有限硬體保固 (www.dell.com/warranty) 涵蓋範圍內，並且無法遠端解決，則通常在完成遠端診斷後的 1 個營業日內，派遣技術人員及/或寄出零件。實際供應狀況可能不同。其他條件亦適用。
- 12 Dell 服務：Dell 服務的供應情況和條款因地區而異。如需詳細資訊，請瀏覽 www.dell.com/servicedescriptions。
- 13 GB 表示 10 億位元組，TB 則等於 1 兆位元組；顯示卡可能需要大量系統記憶體支援，需視系統記憶體大小和其他因素而定。
- 15 重量依組態及製造差異而有所不同；0.990 公斤配置能力：最高配備 i7 vPro (U15)、FHD NT Ultralight LCD、WLAN、41Whr 電池、M.2 2230 35 級 SSD、無安全性、無背光鍵盤。
- 16 根據 Dell 對競爭電腦效能軟體和應用程式的內部分析，2021 年 9 月。
- 17 同時多網路連線 (或連接式組合) 是 ExpressConnect 底下的一項新連線功能，使用兩個或多個有線或無線連線，同時收發資料和影片流量。根據 Dell 內部分析結果，2021 年 9 月。同時資料傳輸功能適用於有線和無線網路。對於特定 Dell 平台，需要 USB Wi-Fi 轉接器來連接第二個 Wi-Fi 網路。
- 18 生物基和可回收成分的重量百分比：底部保護墊中高達 39% 的生物基材料，電池框架中高達 50% 的回收塑料，掌託中高達 35% 的回收塑料，上蓋中高達 18% 的再生碳纖維。前述聲明適用於 2022 年 3 月起的 Latitude 7430 和 7530。根據 Dell 分析結果，2021 年 11 月。
- 19 Latitude 5000 系列上蓋採用樹質生物塑料，Latitude 5000 和 7000 系列採用生物基橡膠。
- 20 已註冊 EPEAT (如適用)。EPEAT 註冊標準會因國家/地區而異。如需各國家/地區註冊狀態資訊，請參閱 www.epeat.net。
- 21 根據 Dell Technologies 和 Intel 委託進行的 Forrester 研究：「Dell 電腦即服務的整體經濟影響」，2020 年 11 月，<https://www.delltechnologies.com/asset/en-us/solutions/business-solutions/industry-market/forrester-the-total-economic-impact-of-dells-pc-as-a-service.pdf>
- 22 根據 Dell 內部分析結果，2019 年 1 月。
- 23 根據 2019 年 1 月由 Dell Technologies 委託 Principled Technologies 的報告，比較 Dell 的 Workspace ONE 隨需分配與傳統部署「使用 Dell 對 VMware Workspace ONE 隨需分配，交付預先設定系統給終端使用者的速度較快。」結果推斷出 1000 部系統的部署，一星期代表七個完整的工作日。實際結果可能不同。
- 24 依據 VMware 委託 Forrester Total Economic Impact™ 進行的研究「VMware Workspace ONE for Windows 10 的整體經濟影響」(2018 年 9 月)。結果取自 VMware Workspace ONE 客戶的訪談，以及/或是依據雇用 12,000 位員工的複合型組織。
- 25 根據 2018 年 4 月 Principled Technologies 的測試報告《以更少的時間和精力解決筆記型電腦硬體故障》。測試受 Dell 委託於美國執行，實際結果可能不同。完整報告：<http://facts.pt/L52XKM>
- 26 根據內部分析結果，2021 年 4 月。Dell Optimizer 適用於 2020 年款裝置，不適用於 OptiPlex 3000 系列、Latitude 3310 二合一和 Latitude Chromebook Enterprise。特色可用性與功能會因機型而異。
- 27 支援 Latitude 9000 和特定 7000 系列；Precision 行動工作站 7000 和特定 5000 系列。請參閱產品詳細資訊以瞭解可用性。
- 28 必須在應用程式功能中啟用 ExpressResponse。Dell Optimizer (DO) 會學習使用者在幾個小時內使用特定應用程式的頻率。根據 Dell 在執行生產力應用程式的 Latitude 系統上使用 Sysmark 2018 基準進行的測試；以及在執行 ISV 應用程式的 Precision 行動工作站上使用效能評估基準，2020 年 3 月。實際改善幅度根據產品配置、使用情況、應用等因素而異。
- 29 使用者必須先輸入偏好的應用程式，軟體才能對其進行分析。
- 30 ExpressConnect 適用於 Dell Optimizer 軟體 2.0 以上版本。如需下載最新版本，請前往 <https://www.dell.com/support/home>。
- 31 免責聲明：同時多網路連線 (或連接式組合) 是 ExpressConnect 底下的一項新連線功能，使用兩個或多個有線或無線連線，同時收發資料和影片流量。根據 Dell 內部分析結果。
- 32 根據訊號強度、通道壅塞、路由器類型等進行最佳網路選擇；網路建議以使用者憑證為基準。
- 33 搭配 ExpressConnect 最佳化的網路網路頻寬。根據 Dell 實驗室在 2020 年 6 月執行的測試，比較了啟用和禁用 ExpressConnect 的效能。實際結果可能不同；測試結果不保證測試條件下的效能。受服務供應商的頻寬用戶與覆蓋區域影響；速度可能不同。需額外收費。請聯絡您的服務供應商瞭解詳細資料。
- 34 根據 2020 年 11 月有關電池使用時間模型計算的 Dell 內部分析結果而得。結果會因使用狀況與運算條件而有所不同。
- 35 與上一代 7000 系列型號相比。更安靜的運作是指風扇在重負載下產生的噪音水準
- 41 大約 78% 的回收成分和 22% 的可再生成分，係採用 FSC 紙纖維的形式。不包括新增到訂單和包含在包裝內的選擇性項目
- 42 根據 2020 年 11 月有關電池使用時間模型計算的 Dell 分析結果而得。結果取決於使用情況、操作條件和其他因素。